

Important notice and disclaimer

This investor presentation has been prepared by Lithium Power International Limited (LPI or Company) and contains summary information about LPI and its activities as of February 2019.

Representations

No person is authorised to give any information or to make any representation in connection with Lithium Power International Limited (LPI or Company)) which is not contained in this presentation.

Any information or representation not so contained may not be relied on as having been authorised by the Company.

Not a disclosure document

This presentation does not contain the information that would be contained in a prospectus or other disclosure document prepared under the Corporations Act and does not purport to contain all the information that may be necessary or desirable to enable a potential investor to properly evaluate and consider an investment in the Company.

Presentation is not advice

The provision of this presentation is not and should not be taken as a recommendation in relation to an investment in the Company or that an investment in the Company is a suitable investment for the recipient of this presentation. This presentation does not purport to constitute any advice whatsoever, but to the extent it does, it constitutes only general advice (within the meaning of section 766B(4) of the Corporations Act) and does not take into account your individual investment objectives, financial situation or particular needs. It does not contain personal advice. The Company recommends prospective investors seek independent financial and taxation advice before making a decision as to whether or not to apply for shares.

Prospective investor to conduct own investigation and analysis

Prospective investors should carry out their own independent investigations and analysis of the Company and the information referred to in this presentation and other matters that may be relevant to it in considering whether to acquire the shares. Each prospective investor considering an investment in the shares must make, and will be taken to have made, its own independent investigation and analysis of the information provided in this presentation. Independent expert advice (including from a prospective investor's accountant, lawyer or other

professional adviser) should be sought before making a decision to invest in the Company.

No responsibility for contents of presentation

To the maximum extent permitted by law, no representation, warranty or undertaking, express or implied, is made and, to the maximum extent permitted by law, no responsibility or liability is accepted by the Company and its advisers or any of their officers, employees, agents or advisers or any other person as to the adequacy, accuracy, completeness or reasonableness of the information contained in this presentation. To the maximum extent permitted by law, no responsibility for any errors or omissions whether arising out of negligence or otherwise is accepted.

Past performance

Past performance information, including past share price performance, should not be relied upon as an indication of future performance.

Projections and forecasts may not be accurate

The provision of this presentation may contain forward looking statements, which are based on subjective estimates and assumptions and about circumstances and events that have not yet taken place. Such estimates and assumptions involve significant elements of subjective judgement and analysis, which may or may not be correct. Accordingly, no representations are made by the Company, its related parties, consultants or advisers as to the accuracy of such information and there can be no assurance that any projected result would be achieved.

Investment risk

An investment in LPI shares is subject to investment and other known and unknown risks, some of which are beyond the control of the Company. LPI does not guarantee any particular rate of return or the performance of the LPI shares.

Disclaimer

This presentation may contain some references to forecasts, estimates, assumptions and other forward-looking statements. Although the company believes that its expectations, estimates and forecast outcomes are based on reasonable assumptions, it can give no assurance that they will be achieved. They may be affected by a variety of variables and changes in underlying assumptions that are subject to

risk factors associated with the nature of the business, which could cause actual results to differ materially from those expressed herein. All references to dollars (\$) and cents in this presentation are to Australian currency, unless otherwise stated. Investors should make and rely upon their own enquires and assessments before deciding to acquire or deal in the Company's securities.

Competent Person's Statement

The information contained in this presentation relating to Mineral Resources has been compiled by Mr Murray Brooker. Mr Brooker is a Geologist and Hydrogeologist and is a Member of the Australian Institute of Geoscientists and has sufficient relevant experience to qualify as a competent person as defined in the 2012 edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. He is also a "Qualified Person" as defined by Canadian Securities Administrators' National Instrument 43-101. Murray Brooker consents to the inclusion in this announcement of this information in the form and context in which it appears. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

Reference to Resource Estimate

The reader is referred to the announcement by LPI on the 12 July 2017, which provided details of the updated Maricunga project resource in accordance with Appendix 5A (JORC Code). LPI confirms that the supporting information provided in the announcement by LPI on the 12 July 2017 continues to apply and has not materially changed. The announcement of 12 July 2017 also outlines an exploration target for the Maricunga project. It must be stressed that an exploration target is not a mineral resource or reserve. The potential quantity and grade of the exploration target is conceptual in nature, and there has been insufficient exploration to define a Mineral Resource in the volume where the Exploration Target is outlined. It is uncertain if further exploration drilling will result in the determination of a Mineral Resource in this volume. The exploration target is where, based on the available geological evidence, there is the possibility of defining a mineral resource. The timing of any drilling with the objective of defining resources in the exploration target area has not been decided at this

stage. In keeping with Clause 18 of the JORC Code and CIMM requirements the exploration target defined at Maricunga is based on a range of values, which represent the potential geological conditions. Values have been selected to present an upper and a lower exploration target size. It is likely that the lithium and potassium contained in the exploration target lies somewhere between the Upper and Lower Cases. The resource refers to lithium carbonate equivalent (LCE), using a conversion factor of 5.32 x lithium metal, and potassium chloride (KCI) using a conversion factor of 1.91 x potassium. A technical report to support the mineral resource estimate entitled "Lithium & Potassium Resource Estimate Maricunga Joint Venture, Ill Region, Chile, and dated 25 August 2017 may be accessed via this link.

Cautionary note regarding reserves and resources

You should be aware that as an Australian company with securities listed on the ASX, the Company is required to report reserves and resources in Australia in accordance with the Australasian Code for Reporting of Exploration Results. Mineral Resources and Ore Reserves ("JORC Code"). You should note that while the Company's reserve and resource estimates may comply with the JORC Code, they may not comply with the relevant guidelines in other countries and, in particular. do not comply with Industry Guide 7, which governs disclosures of mineral reserves in registration statements filed with the U.S. Securities and Exchange Commission. The JORC Code differs in several significant respects from Industry Guide 7. In particular, Industry Guide 7 does not recognise classifications other than proven and probable reserves and, as a result, the SEC generally does not permit mining companies to disclose their mineral resources in SEC filings. Information contained in this presentation describing the Company's mineral deposits may not be comparable to similar information made public by U.S. companies subject to the reporting and disclosure requirements of United States securities laws. You should not assume that quantities reported as "resources" will be converted to reserves under the JORC Code or any other reporting regime or that the Company will be able to legally and economically extract them.





Board of Directors	
Mr David R Hannon	Chairman
Mr Cristobal Garcia-Huidobro R	CEO and Managing Director
Mr Richard A Crookes	Executive Director (Corp Finance)
Mr Russell C Barwick	Non-Executive Director
Mr Ricky P Fertig	Non-Executive Director
Mr Martin Borda M	Non-Executive Director
Mr Andrew G Phillips	CFO and Company Secretary

Substantial Shareholders (January 31, 2019)					
Founders & Directors	22.7%				
HSBC Custody Nominees (Australia) Limited	13.1%				
Yarandi Investments Pty Ltd	3.5%				
DM Capital Management Pty Ltd	3.1%				
Brispot Nominees Pty Ltd	3.0%				
Morgan Stanley Australia Securities Pty Ltd	2.8%				
UBS Nominees Pty Ltd	2.5%				
G Harvey Nominees Pty Ltd	2.5%				
J P Morgan Nominees Pty Ltd	2.1%				

Reg Spencer
Christopher Ecclestone
Adam Kiley


Capital Structure						
ASX Code		LPI				
Shares on Issue		262.5M				
Cash at bank:	- LPI Circa	AU\$17.2m				
	- Chilean JV Circa	US\$4.6m				
Listed Options exercise price – 55 cps¹		34.6m (AU\$19m)				
Unlisted Options exercise price – 25 cps² (average)		46.3m (AU\$11.58m)				

¹ LPIOA expiry July 6th, 2019

² Majority of Unlisted options expiry June 23rd, 2021 (majority held by founders)


Maricunga development

- LPI owns 51% of the world class Maricunga lithium brine development.
- Maricunga is Chile's highest grade and most advanced
 lithium project outside the Salar de Atacama.
- Definitive Feasibility Study (DFS) by WorleyParsons supports
 20,000 tonnes per annum production of LCE over 20 years.
- DFS shows pre-tax NPV of US\$1.302 billion and IRR of 29.8% assuming a 50% debt/equity ratio (after-tax NPV of US\$940 million, IRR 26.7%). On a 100% Equity Basis, NPV of US\$1.286 billion, IRR of 23.8%.
- Forecast CAPEX of US\$563 million includes direct development costs of US\$456 million, indirect costs of US\$45 million and contingencies of US\$63 million.



Maricunga development

- Operating costs estimated at US\$3,772 per tonne of LCE, excluding offsets from potassium chloride sales and any royalties.
- Production of high value, battery grade lithium carbonate unlike many hard rock projects under development around the world.
- Maiden ore reserve estimate of 742,000 tonnes LCE exceeds 20-year mine life production needs, and meets JORC and NI 43-101 standards.
- Maricunga EIA is being assessed by the Chilean
 Government and is expected to be concluded in 2019.
- Approval received for the use of electricity infrastructure.
 Water supply secured.
- Financing discussions underway.
- Approaches received from international companies for off-take deals.



Outstanding economics



Production

20,000 t/a LCE over 20 years

Operating Cost

US\$ 3,772/t

Development Cost

US\$ 563M

Direct development costs of US\$456M, indirect costs of US\$45M and contingency costs of US\$63M.

NPV	100% equity	50/50 debt/equity			
Pre-tax	US\$1.286B	US\$1.302B			
After-tax	US\$908M	US\$940M			

IRR (50% leverage)

29.8%1

Payback

3.5 years

based on 2-year ramp-up

¹ After-tax IRR 26.7% assuming a 50% leverage. On a 100% Equity Basis, the pre-tax IRR of 23.8%, after-tax IRR of 21%.

Hard rock lithium exploration

Tabba Tabba and Strelley, Pilbara

Western Australia - 100% Ownership

- 20km strike of highly prospective greenstone units north-west of FMG's drilling at Tabba Tabba.
- Soil sampling of three greenstone belts shows significantly elevated concentrations of lithium, caesium, tantalum, nickel and gold.
- Further development program expected to be announced by the end of 1Q19 and commencing in 2Q19 with Phase 1 of the resource exploration.



Hard rock lithium exploration

Pilgangoora, Pilbara

Western Australia - 100% Ownership

- Adjacent to Pilbara Minerals' and Altura Mining's lithium pegmatite deposits, both being developed as hard-rock mines.
- Lithium pegmatites being targeted in the same rock sequence immediately west of tenements held by these companies.
- Initial drilling program undertaken in 2018.
- Additional soil sampling undertaken in December 2018.
- Waiting for results to assess targets for possible drilling.



Hard rock lithium exploration

Greenbushes, Pilbara

Western Australia - 100% Ownership

- Tenements extend over 400km² and contain large strike lengths of the same rock that hosts adjacent Greenbushes lithium mine, the world's largest lithium producer.
- Tenements include the Balingup project and the Brockman Highway project.
- Ministerial approval is being sought to explore in the forestry areas of the Greenbushes licences.



Centenario: A renewed focus

Centenario

70% Ownership

- 70:30 Joint Venture between LPI and Centenario Lithium.
- Located in the centre of 'The Lithium Triangle' in the mining friendly Salta province.
- Covers an area of 68km² in the Centenario lithium brine salar across seven adjoining properties.
- Geophysical surveys have recently been completed and indicate an extensive brine body throughout the tenements.
- Reviewing drill target points, with a likely drilling program early 2019.
- Drilling permits have been received from government agencies.





Maricunga: an asset of global interest

- DFS supports the 20,000 tonnes per annum production of LCE, projected for the Maricunga throughout its 20 year mine life.
- Ore reserve estimate of 742,000 tonnes of LCE comprises 203,000 tonnes Proved and 539,000 tonnes Probable.
- To rank as one of the lowest-cost lithium carbonate producers globally.
- Reserves fully support the expected mine life of 20 years.
- Potential to expand resources and reserves below the existing resource currently defined to 200m. Exploration target between 200m 400m confirmed by deep borehole results, can add between 1Mt 2.5Mt of new resources.


Maricunga: outstanding economics


- Direct and indirect costs of US\$563.4 million includes US\$62.6 million for contingencies.
- Total production costs of lithium carbonate are estimated to be US\$3,772 per tonne.
- Pre-tax NPV of US\$1.302 billion and IRR of 29.8% is based on leverage of 50% (after-tax NPV of US\$940 million, IRR 26.7%). On a 100% Equity Basis, NPV of US\$1.286 billion and IRR of 23.8%.
- Maricunga's expected project payback is 3.5 years.
- Roskill marketing reports says battery grade lithium carbonate expected to range from US\$13,263/tonne in 2023 to US\$17,616/tonne in 2032 in inflation adjusted terms.



Maricunga: outstanding economics








Maricunga: outstanding economics





Lithium carbonate price $(\mathrm{US}\$/\mathrm{t}~\mathrm{CIF})$

Forecast average yearly contract and spot price trend for lithium carbonate



Forecast (2017–2032)

Maricunga: ramp up to production



- Development awaits Environmental Impact Statement approval from Chilean Government.
- Discussions commenced with financial institutions to secure project development finance and should be completed in 2019.
- Approaches received from international companies for off-take agreements and future participation.



Maricunga: project design completed

- Brine will be pumped 5km to evaporation ponds, and to the lithium carbonate plant for production.
- Design and costings for project infrastructure, construction facilities and long term camp have been completed and are part of the Definitive Feasibility Study.
- Water rights have been secured throughout the mine life.
- Government approval given for the use of electricity infrastructure. Energy to be supplied through existing nearby transmission lines.



Maricunga: environment and community



- The EIA was submitted to the Chilean Government authorities in September 2018.
- Additional detailed responses and queries are expected from government departments in 2019.
- The EIA includes the construction and operation of a potassium chloride (KCI) plant, which will be considered once sufficient potassium salts have accumulated after the operation of the lithium carbonate plant has started.
- The Company has strong relationships with indigenous and local communities within the project area.
- The EIA established a mechanism for these communities to benefit from the revenues derived during the operating phase.
- The project area is sparsely populated, but the Company recognises there will be increased vehicular activity as a result of the operating phase.






	Measured				Indicated			M&I		
	Li		K		Li	К		Li	K	
Area (km²)		18.88			6.43			25.31		
Aquifer volume (km³)		3.05		1.94			5			
Mean specific yield (Sy)		0.04			0.11			0.07		
Brine volume (km ³)		0.13	0.13		0.21			0.35		
Mean grade (g/m³)	48		349		128	923		79	572	
Mean concentration (mg/l)	1,175	}	8,624		1,153	8.306	3	1,167	8,500	
Resource (tonnes)	146,00	0 1,0	065,000	2	244,000	1,754,0	000	389,000	2,818,000	

Exploration target between 200m – 400m with a potential between 1Mt – 2.5Mt of new resources

Timeline for growth






Maricunga: plant and pond design

Ponds to be built off the salar to the north to:

- allow easier construction in areas of gravel; and
- minimize the visual impact of the ponds.



Maricunga: infrastructure requirements




- Project accommodation camp and offices, laboratory, parking, workshops, general warehousing, weighing station and local access roads.
- Reagent preparation building (includes solvent extraction reagent warehouse, hydrochloric acid reception, caustic soda preparation), storage and preparation of soda ash.

- Power and water supplies.
- Fuel plant and station.
- Storage and distribution of sulfuric acid and lime plant.
- Compressors room, boiler room, water conditioning plant.
- Lithium Carbonate Plant.



Maricunga: drilling results

- Extensive Sonic and RC drilling totalling more than 4,700m and over 1,000 brine samples taken, including more than 300 core samples analysed for drainable porosity.
- Results from the drilling program averaged
 1,167 mg/l Li and 8,500 mg/l K.
- 360m Deeper drilling a game changer for expanding the resource if needed in the future.
- Deep hole S19 encountered a continuation of the lower brine aquifer with lithium concentrations above 900mg/l Li.
- An exploration target is therefore defined below the base of the current resources to a depth up to 400m.
- The exploration target provides significant potential for resource expansion.



Maricunga: porosity and permeability

 Halite, gravel, sand and volcaniclastic sediments have excellent drainable porosity and permeability characteristics.

 More than 60 days of pumping tests at different depths were done during the development process.

 Pumping confirms the high flow rate characteristics of the sediments, which have a high permeability and allows pumping at a high flow rate: very positive for long term brine extraction from the salar.

• Flow rates are comparable to those of major lithium brine producers.



Maricunga: permitting

Awarded Production Permit (CCHEN) on 9 March 2018:

- The Chilean Nuclear Energy Commission (CCHEN) has awarded Minera Salar Blanco S.A. (MSB), a key regulatory export licence for the production and marketing of lithium from the Maricunga project for a period of 30 years.
- The approval permits the initial extraction quota of 88,885 metric tonnes of lithium metal contained in brine or 472,868 tonnes of lithium carbonate equivalent (LCE). This covers production from the old code mining concessions.
- The CCHEN can increase the approved extraction quota upon MSB advancing the deep drilling below the 200m depth of the current resource.

Unrivalled project quality

- Production process design, engineering and testing was led by Tier-1
 German Engineering company, GEA Messo, one of the leading suppliers for
 production plants to the lithium industry worldwide.
- First battery grade Li₂CO₃ samples, meeting commercial high quality battery grade specifications were produced during 2018 using Maricunga's brine from our test ponds (99.4% purity Li₂CO₃ reached).
- Definitive Feasibility Study (DFS) by WorleyParsons completed in Jan 2019, indicates Maricunga to be a low-cost lithium producer with attractive economics.
- Optimization of lithium production to develop the lowest cost process with highest possible recoveries.
- Port and logistics assessment fully completed. The use of electricity infrastructure authorized and water rights secured.



LPI: a compelling investment opportunity



- Solid Team and Tier-1 Engineering companies undertaking project development for low risk development.
- Definitive Feasibility Study (DFS) released. Maricunga is the most advanced project in South America.
- Financing structuring and off-take discussions underway.
- High quality brine resource in a stable mining jurisdiction.
- Use of traditional and well proven production processes.
- Working with worldwide leading engineering companies and equipment suppliers:
 - Engineering: WorleyParsons, MWH (Stantec)
 - Production: GEA, Veolia, Andritz, FLSmidth, and SGS













Lithium Power Board





Mr David R Hannon Chairman

LPI founding shareholder. Founding director and former Chairman of Atlas Iron Ltd which grew to over A\$3b market capitalisation.

30 year career in the finance industry with a focus on property, mining and international investing.



Mr Richard A Crookes

Executive Director - Corporate Finance

Geologist with over 30 years of experience and a deep involvement in all aspects of mining projects, including exploration, mineral resource development, mine operations, environmental management, mine fleet selection, project finance and project management.



Mr Cristobal Garcia-Huidobro R
Chief Executive Officer and Managing Director
BASED IN CHILE

Civil engineer with 18 years of experience in the development and financing of mining, energy, infrastructure, finance and property projects who has led MSB's exploration and development program for the Maricunga Salar.



Mr Andrew G Phillips
CFO and Company Secretary

Over 25 years of commercial and financial experience. Previous senior management roles with Aristocrat, Allianz, Hoya Lens, and Sequoia, with additional Board experience in the small cap resources sector.


Lithium Power Board





Mr Russell C Barwick
Non-Executive Director

Mining engineer with over 40 years of experience globally. Formerly Rio Tinto, Placer Dome, CEO of Newcrest, and COO of Goldcorp. Extensive management and technical experience globally including Latin America.



Mr Martin Borda M
Non-Executive Director
BASED IN CHILE

Economist with over 40 years of experience in a range of industries in Chile and internationally. He was a major stakeholder in the early development stages of the Maricunga Lithium Brine Project.



Mr Ricky P Fertig
Non-Executive Director

Founding director and senior executive with 30 years of international commercial experience across property, healthcare and mining services sectors.

Lithium Power Technical Committee



Andres Lafuente

Chief Operating Officer

Senior Executive with 24 years of experience in Financial and Infrastructure companies. Previously GM for Scotia Bank in Chile, and Corporate Manager and Compliance for Euroamerica Financial and Life Insurance.

Tarek Halasa

Chief Development Officer

Civil Engineer with 17 years of international experience, specialising in project and cost management, feasibility studies, and sub-contractor management. Previously held the role of Construction Coordinator for Bechtel for the past 8 years, working on projects for BHP, Xstrata, Anglo, and BP.

Frederick Reidel

OP under TSX NI 43-101

Hydrogeologist with 25 years of experience in water, lithium brine and infrastructure projects in North & South America. Undertook the reserve evaluation and feasibility study for Orocobre at the Olaroz lithium brine project. Technical advisor to Lithium Americas on the Cauchari lithium brine project. Participated in the initial resource evaluation for FMC's Hombre Muerto lithium brine project.

Peter Ehren

QP under TSX NI 43-101

Independent consultant and industry expert in development processes and technical and economic assessment for new brine projects, especially relating to lithium and potassium. Currently also consulting to Orocobre on the Olaroz project. Previously designed and evaluated projects in Chile, Argentina, China, and Australia.

Lithium Power Technical Committee



Carlos Espinoza

Current Associate Professor of University of Chile with extensive experience in hydrogeological simulation and modelling, baseline studies, evaluation of environmental impact studies and water resources, and evaporation well simulation (Salar de Atacama).

Hugo Barrientos Ruiz

Over 30 years of experience as Mechanical Engineer with an extended background in leading companies such as SQM. Former Engineer Project Manager at Lithium Americas.

Murray Brooker

OP/CP under TSX NI 43-101/JORC

Independent consultant and hydrogeologist specialising in lithium brine over the last 8 years, with 25 years of total experience in mining and exploration. Areas of expertise include: project management, project evaluation and feasibility, and geological interpretation and reporting. Has previously led teams in Chile, Argentina, and Australia. Was the JORC Competent Person to Orocobre on their Olaroz lithium brine project.

Other Projects: Technical Committee



Murray Brooker

QP/CP under TSX NI 43-101/JORC

Independent consultant and hydrogeologist specialising in lithium brine over the last 8 years, with 25 years of total experience in mining and exploration. Areas of expertise include: project management, project evaluation and feasibility, and geological interpretation and reporting. Has previously led teams in Chile, Argentina, and Australia. Was the JORC Competent Person to Orocobre on their Olaroz lithium brine project.

Ian Miles

Principal Exploration Geologist

Independent consultant and geologist with 20 years of experience specialising in advancing Greenfields projects to mining. His exploration expertise includes project generation, targeting, evaluation, assessment and the management of large exploration programs in Australia and South America.

